Application No. 10/068,479 Amendment dated March 29, 2005 Reply to Office Action of December 1, 2004 Docket No. 425 -4005

Amendments to the Claims:

Claims 1-12 are pending in this application. Claims 1, 5 and 9 are independent.

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1 (CURRENTLY AMENDED): A method of exchanging data between mobile priones through an inter-working function in an IS-95A/B network, comprising:

a first step in which a receiving mobile phone enters data reception mod: as a receiving user selects data call receiving mode;

a second step in which a transmitting mobile phones initiates a data call to the receiving mobile phone;

a third step in which as the receiving mobile phone answers the call data exchange between the mobile phones proceeds; and

a fourth step in which data transmission from the transmitting mobile phone to the receiving mobile phone is completed,

wherein said mobile phones transmit signals including an origination message of which a service option field's value is 4 or 12.

2 (CANCELLED):

3 (ORIGINAL): The data exchange method according to claim 1, wherein, in said data exchange mode of the third step, each of the mobile phones considers all data except control data transmitted from an inter-working unit as data transmitted from the other mobile phone.

4 (ORIGINAL): The data exchange method according to claim 1, whereir said completion of data transmission of the fourth step is terminated when an end key of any of the mobile phones is pressed by a user.

Docket No. 425 -4005

Application No. 10/068,479

Amendment dated March 29, 2005

Reply to Office Action of December 1, 2004

- 5 (CURRENTLY AMENDED): A method of exchanging data between mobile priones through an inter-working function in an IS-95C network, comprising:
- a first step in which a transmitting mobile phone initiates a data cal to a receiving mobile phone;
 - a second step in which the receiving mobile phone answers the data call;
- a third step in which the transmitting and receiving mobile phones are operated in data exchange mode for transmitting data from the transmitting mobile phone of the receiving mobile phone; and
- a fourth step in which data transmission from the transmitting mobile phone to the receiving mobile phone is completed,

wherein said mobile phones transmit signals including an origination message of which a service option field's value is 4 or 12.

6 (CANCELLED):

- 7 (ORIGINAL): The data exchange method according to claim 5, wherein, in said data exchange mode of the third step, each of the mobile phones considers all data except control data transmitted from an inter-working unit as data transmitted from the other mobile phone.
- 8 (ORIGINAL): The data exchange method according to claim 5, wherei said completion of data transmission of the fourth step is terminated when an end key of any of the mobile phones is pressed by a user.
- 9 (CURRENTLY AMENDED): A method of exchanging data between mobile ph nes in an IS-95A/B or IS-95C network through a proxy inter-working function service, comprising:
- a first step in which a transmitting mobile phone initiates a data or 1 to a receiving mobile phone;
 - a second step in which the receiving mobile phone answers the data call;
 - a third step in which the transmitting and receiving mobile phones are coerated

Docket No. 425 -4005

Application No. 10/068,479
Amendment dated March 29, 2005
Reply to Office Action of December 1, 2004

in data exchange mode for transmitting data from the transmitting mobile phone of the receiving mobile phone; and

a fourth step in which data transmission from the transmitting mobile phone to the receiving mobile phone is completed,

wherein said mobile phones transmit signals including an origination message of which a service option field's value is 0x8003.

10 (CANCELLED):

11 (ORIGINAL): The data exchange method according to claim 9, wherein, in said data exchange mode of the third step, each of the mobile phones considers all data except control data transmitted from an proxy inter-working unit as data transmitted from the other mobile phone.

12 (ORIGINAL): The data exchange method according to claim 9, wherein said completion of data transmission of the fourth step is terminated when an end key of any of the mobile phones is pressed by a user.